

SOUTHWESTERN COLLEGE

Line	Location	Product No.	Description	Unit Cost	Qty	Ext. Cost	# of Years Extended Warranty
1	1/2 - Room 322 & Room 330 Combined	CS3-24-WM1	CS3000 24 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
2		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
3		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
4		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
5		TP-110	AC Line Protection		1		
6		FM 1B	1" Brass Tee Mounted Flow Meter		8		
7		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
8		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		7		
9		CS-2W-2ST	CS3000 2wire decoder, 2 station output		7		
10	3 - Room 430	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
11		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
12		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
13		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
14		TP-110	AC Line Protection		1		
15		FM 1B	1" Brass Tee Mounted Flow Meter		1		
16	4 - Room 420 Bank		CS3-8-SB16-RETRO, retrofit sb16ss controller assy		1		
17			CS-16-KIT, retrofit sb16ss brackets		1		
18		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
19		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
20		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
21		TP-110	AC Line Protection		1		
22		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		2		
23		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
24		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		1		
25		CS-2W-2ST	CS3000 2wire decoder, 2 station output		1		
	5/6 - Room 1660 &		CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One				
26	Room 1620	CS3-16-WM1	stubby antenna hole, includes transient protection and field replaceable modules, does		1		
	Combined		not include antennas				
27		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
28		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
29		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
30		TP-110	AC Line Protection		1		
31		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		3		
32		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
33		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		2		
34		CS-2W-2ST	CS3000 2wire decoder, 2 station output		10		



SOUTHWESTERN COLLEGE

Line	Location	Product No.	Description	Unit Cost	Qty	Ext. Cost	# of Years Extended Warranty
35	7 - Room 1688 Restrooms	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
36		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
37		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
38		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
39		TP-110	AC Line Protection		1		
40		FM 1B	1" Brass Tee Mounted Flow Meter		1		
41	8/9/10 - CDC Combined	CS3-48-WM	CS3000 48 conventional wired stations, ET based irrigation, Gray Box wall mount, No antenna holes, includes transient protection and field replaceable modules, does not include antennas		1		
42		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
43		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
44		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
45		TP-110	AC Line Protection		1		
46		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		3		
47		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
48		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		2		
49		CS-2W-2ST	CS3000 2wire decoder, 2 station output		8		
50	11 - Room 440	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
51		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
52		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
53		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
54		TP-110	AC Line Protection		1		
55		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		9		
56		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
57		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		9		
58		CS-2W-2ST	CS3000 2wire decoder, 2 station output		9		
59	12 - Bldg. 1400	CS3-24-WM1	CS3000 24 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
60		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
61		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
62		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
63		TP-110	AC Line Protection		1		
64		FM 1.25B	1.25" Brass Tee Mounted Flow Meter		1		
65		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
66		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		1		
67		CS-2W-2ST	CS3000 2wire decoder, 2 station output		1		



SOUTHWESTERN COLLEGE

Line	Location	Product No.	Description	Unit Cost	Qty	Ext. Cost	# of Years Extended Warranty
68	13 - Room 102	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
69		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
70		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
71		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
72		TP-110	AC Line Protection		1		
73		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		6		
74		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
75		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		6		
76		CS-2W-2ST	CS3000 2wire decoder, 2 station output		6		
77	14/15 - Main Gas Shut Off & Front Lawns Combined	CS3-32-S1	CS3000 32 conventional wired stations, ET based irrigation, SSE mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
78		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
79		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
80		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
81		FM 2	2" PVC Sch 80 Tee Mounted Flow Meter		3		
82		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
83		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		3		
84		CS-2W-2ST	CS3000 2wire decoder, 2 station output		13		
85	16/26/27/28/29 - 100 Bldg & Room 100/103/105 Combined	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
86		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
87		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
88		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
89		TP-110	AC Line Protection		1		
90		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		7		
91		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
92		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		7		
93		CS-2W-2ST	CS3000 2wire decoder, 2 station output		7		
94	17 - 510 Bldg.	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
95		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
96		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
97		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
98		TP-110	AC Line Protection		1		
99		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		2		



Location

Line

129

130

Tennis Courts

Restroom Lot H

CS3-16-WM1

CS3-WEN

not include antennas

Product No.

# SOUTHWESTERN COMMUNITY COLLEGE DISTRICT BID #1516-215 CALSENSE IRRIGATION CONTROL SYSTEMS EQUIPMENT BID SPECIFICATIONS AND PRICING SHEET - MAIN CAMPUS

Description

Warrantv 100 CS3-2WIRE-OPT CS3000 2-wire terminal card and cover 1 CS3000 2wire decoder, POC, one master valve, one flow meter 101 CS-2W-POC 2 102 CS-2W-2ST CS3000 2wire decoder, 2 station output 2 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 103 18 - Automotive CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 not include antennas CS3000 Wireless Ethernet Communications Option, one device-one controller 104 CS3-WEN 1 105 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 106 ANT-CABLE-WEN 1 107 TP-110 AC Line Protection 1 108 FM 1.5 1.5" PVC Sch 80 Tee Mounted Flow Meter 1 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 109 19 - 1200 Bldg. CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 not include antennas CS3000 Wireless Ethernet Communications Option, one device-one controller 110 CS3-WEN 1 111 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 112 ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 1 TP-110 113 AC Line Protection 1 1.5" PVC Sch 80 Tee Mounted Flow Meter 114 FM 1.5 1 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 20 - Grounds 115 CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 Dept/Room 1260 not include antennas CS3000 Wireless Ethernet Communications Option, one device-one controller 116 CS3-WEN 1 117 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 118 ANT-CABLE-WEN 1 119 TP-110 AC Line Protection 1 120 FM 1.5 1.5" PVC Sch 80 Tee Mounted Flow Meter 1 CS3000 Weather Card and Terminal Card, allows connection of ET Gage, Rain Bucket 121 CS3-W-KIT 1 and/or Wind Gage 122 Rain Bucket RB-1 Calsense Tipping Rain Bucket 1 CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One 123 21 - Soccer CS3-16-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 not include antennas 124 CS3-WEN CS3000 Wireless Ethernet Communications Option, one device-one controller 1 WEN-STUBBY 125 Wi-Fi "stubby" antenna (w/o cable) 1 126 ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 1 127 TP-110 AC Line Protection 1 128 FM 3 3" PVC Sch 80 Tee Mounted Flow Meter 1 22/38 - 1100 Bldg. & CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One

stubby antenna hole, includes transient protection and field replaceable modules, does

CS3000 Wireless Ethernet Communications Option, one device-one controller

Company Name: \_

# of Years

Extended

Unit Cost

Qtv

1

1

Ext. Cost



Location

Line

162

163

Product No.

#### SOUTHWESTERN COMMUNITY COLLEGE DISTRICT BID #1516-215 CALSENSE IRRIGATION CONTROL SYSTEMS EQUIPMENT BID SPECIFICATIONS AND PRICING SHEET - <u>MAIN CAMPUS</u>

Description

Warrantv 131 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 132 ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 1 133 TP-110 AC Line Protection 1 1.5" PVC Sch 80 Tee Mounted Flow Meter 134 FM 1.5 2 135 CS3-2WIRE-OPT CS3000 2-wire terminal card and cover 1 136 CS-2W-POC CS3000 2wire decoder, POC, one master valve, one flow meter 2 137 CS-2W-2ST CS3000 2wire decoder, 2 station output 2 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 138 23 - Room 570 CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 not include antennas 139 CS3-WEN CS3000 Wireless Ethernet Communications Option, one device-one controller 1 140 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 141 ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 1 142 TP-110 AC Line Protection 1 143 FMI Flow Meter Replacement Insert (for all except FMBX and FM 2B) 1 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 144 24 - Room 550 CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 1 not include antennas 145 CS3-WEN CS3000 Wireless Ethernet Communications Option, one device-one controller 1 146 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 1 147 148 TP-110 AC Line Protection 1 149 FM 1.5 1.5" PVC Sch 80 Tee Mounted Flow Meter 2 150 CS3-2WIRE-OPT CS3000 2-wire terminal card and cover 1 CS3000 2wire decoder, POC, one master valve, one flow meter 151 CS-2W-POC 1 152 CS-2W-2ST CS3000 2wire decoder, 2 station output 1 CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One 25 - 600 Bldg. CS3-8-WM1 stubby antenna hole, includes transient protection and field replaceable modules, does 153 1 not include antennas 154 CS3-WEN CS3000 Wireless Ethernet Communications Option, one device-one controller 1 155 WEN-STUBBY Wi-Fi "stubby" antenna (w/o cable) 1 Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY 156 ANT-CABLE-WEN 1 TP-110 157 1 AC Line Protection 158 FM 1.5 1.5" PVC Sch 80 Tee Mounted Flow Meter 2 159 CS3-2WIRE-OPT CS3000 2-wire terminal card and cover 1 160 CS-2W-POC CS3000 2wire decoder, POC, one master valve, one flow meter 1 161 CS-2W-2ST CS3000 2wire decoder, 2 station output 1

Company Name: \_

# of Years

Extended

Unit Cost

Qtv

Ext. Cost



SOUTHWESTERN COLLEGE

Line	Location	Product No.	Description	Unit Cost	Qty	Ext. Cost	# of Years Extended Warranty
164		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
165		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
166		TP-110	AC Line Protection		1		
167		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
168	32 - Room 850	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
169		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
170		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
171		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
172		TP-110	AC Line Protection		1		
173		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
	33 - 710 Bldg.	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
175		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
176		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
177		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
178		TP-110	AC Line Protection		1		
179		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
180		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
181		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		1		
182		CS-2W-2ST	CS3000 2wire decoder, 2 station output		1		
	34 - Room 540	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
184		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
185		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
186		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
187		TP-110	AC Line Protection		1		
188		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		8		
189		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
190		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		8		
191		CS-2W-2ST	CS3000 2wire decoder, 2 station output		8		
	35/37 - Room 630 South Side & Room 640 Combined		CS3000 24 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
193	1	CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
194		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
195		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		



Line		Product No.	Description	Unit Cost	Qty	Ext. Cost	# of Years Extended Warranty
196		TP-110	AC Line Protection		1		
197		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		2		
198		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover		1		
199		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter		2		
200		CS-2W-2ST	CS3000 2wire decoder, 2 station output		2		
201	36 - Room 630 North Side	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
202		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
203		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
204		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
205	1	TP-110	AC Line Protection		1		
206		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
207	39 - Pro Shop	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
208		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
209		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
210		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
211		TP-110	AC Line Protection		1		
212		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
213	40 - Softball	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
214		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
215		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
216		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
217		TP-110	AC Line Protection		1		
218		FM 3	3" PVC Sch 80 Tee Mounted Flow Meter		1		
219	41 - LRC	CS3-32-WM1	CS3000 32 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
220		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
221		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		
222		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY		1		
223		TP-110	AC Line Protection		1		
224		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter		1		
225	42 - Lot "O"	CS3-8-S1	CS3000 8 conventional wired stations, ET based irrigation, SSE mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas		1		
226		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller		1		
227		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)		1		



Location

Line

228

229

230

# SOUTHWESTERN COMMUNITY COLLEGE DISTRICT BID #1516-215 CALSENSE IRRIGATION CONTROL SYSTEMS EQUIPMENT BID SPECIFICATIONS AND PRICING SHEET - MAIN CAMPUS

Description

ANT-CABLE-WEN Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY FM 1.5 1.5" PVC Sch 80 Tee Mounted Flow Meter CS3-2WIRE-OPT CS3000 2-wire terminal card and cover

Product No.

230	CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover	1	
231	CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter	2	
232	CS-2W-2ST	CS3000 2wire decoder, 2 station output	2	
		CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One		
233 <b>43 - 750 Bldg.</b>	CS3-16-WM1	stubby antenna hole, includes transient protection and field replaceable modules, does	1	
		not include antennas		
234	CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	1	
235	WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	1	
236	ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	1	
237	TP-110	AC Line Protection	1	
238	FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter	1	
239	CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover	1	
240	CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter	1	
241	CS-2W-2ST	CS3000 2wire decoder, 2 station output	1	
		CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One		
242 44 - Track	CS3-16-WM1	stubby antenna hole, includes transient protection and field replaceable modules, does	1	
		not include antennas		
243	CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	1	
244	WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	1	
245	ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	1	
246	TP-110	AC Line Protection	1	
247	FM 3	3" PVC Sch 80 Tee Mounted Flow Meter	2	
248	CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover	1	
249	CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter	2	
45/46 - Baseball		CS3000 40 conventional wired stations, ET based irrigation, Gray Box wall mount, No		
250 Banks & Baseba	II CS3-40-WM	antenna holes, includes transient protection and field replaceable modules, does not	1	
Combined		include antennas		
251	CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	1	
252	WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	1	
253	ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	1	
254	TP-110	AC Line Protection	1	
255	FM 3	3" PVC Sch 80 Tee Mounted Flow Meter	1	
256 47 - Stadium		CS3-8-SB16-RETRO, retrofit sb16ss controller assy	1	
257	CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	1	
258	WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	1	
259	ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	1	
260	TP-110	AC Line Protection	1	
261	FM 1B	1" Brass Tee Mounted Flow Meter	1	

Company Name: \_

# of Years

Extended

Warranty

Qty

1

2

1

Ext. Cost

Unit Cost



Line

280

Location

Product No.


CS-2W-2ST

# SOUTHWESTERN COMMUNITY COLLEGE DISTRICT BID #1516-215 CALSENSE IRRIGATION CONTROL SYSTEMS EQUIPMENT BID SPECIFICATIONS AND PRICING SHEET - MAIN CAMPUS

Description

262		CS3-8STA-KIT	CS3000 8 station card and terminal card for conventional wiring to stations, may add up to 6 per CS3000 controller	
263	48 - Baseball Score Board	CS3-16-WM1	CS3000 16 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas	
264		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	
265		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	
266		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	
267		TP-110	AC Line Protection	
268		FM 2	2" PVC Sch 80 Tee Mounted Flow Meter	
269		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover	
270		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter	
271		CS-2W-2ST	CS3000 2wire decoder, 2 station output	
272	49 - H Street Bank	CS3-8-WM1	CS3000 8 conventional wired stations, ET based irrigation, Gray Box wall mount, One stubby antenna hole, includes transient protection and field replaceable modules, does not include antennas	
273		CS3-WEN	CS3000 Wireless Ethernet Communications Option, one device-one controller	
274		WEN-STUBBY	Wi-Fi "stubby" antenna (w/o cable)	
275		ANT-CABLE-WEN	Wi-Fi Stubby antenna cable (3ft), ordered separately from WEN-STUBBY	
276		TP-110	AC Line Protection	
277		FM 1.5	1.5" PVC Sch 80 Tee Mounted Flow Meter	
278		CS3-2WIRE-OPT	CS3000 2-wire terminal card and cover	
279		CS-2W-POC	CS3000 2wire decoder, POC, one master valve, one flow meter	

CS3000 2wire decoder, 2 station output



Qty

2

1

1

Ext. Cost

Unit Cost

# of Years

Extended

Warranty